

27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
BTA 300	Tanning Auxiliary	Enzymatic Bating Agent	Pancreatic Protease Trypsin	Enzymatic bating agent for cow hide, sheepskin and goatskin
Enzymebat X-150S	Tanning Auxiliary	Enzymatic Bating Agent	Pancreatic Protease Trypsin	Enzymatic bating agent for buffalo hide
Chataignier N-NES	Tanning Auxiliary	Vegetable Extract	Astringent chestnut extracts	For sole leather and for heavy retannages on chrome leathers
Chataignier A-AES	Tanning Auxiliary	Vegetable Extract	Astringent chestnut extracts	For sole leather and the retannage of chrome leathers
Chataignier SH	Tanning Auxiliary	Vegetable Extract	Sweetened chestnut extracts	For vegetable tannage and retannage of all types of chrome leathers. Has medium penetration and excellent fullness. Gives good cut on buffing
Solpuma ATO	Tanning Auxiliary	Vegetable Extract	Cold soluble quebracho extract	For vegetable tannage and the retannage of chrome leathers
Solpuma ATG	Tanning Auxiliary	Vegetable Extract	Cold soluble quebracho extract	Same as Solpuma ATO but with a more yellowish colour
Solpuma ATS	Tanning Auxiliary	Vegetable Extract	Semi soluble quebracho extract	For the retannage of leathers that require good fullness. Excellent for the production of waterproof and burnish leathers



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

To contact the sales team please email sales@selicchemical.com

If you are an agent or distributor then please email agent@selicchemical.com

Product Name	Category	Туре	Composition	Application / Comment
Solpuma ATD	Tanning Auxiliary	Vegetable Extract	Semi soluble quebracho extract	Same as Solpuma ATS but lighter in colour
Sodatan TVB Powder	Tanning Auxiliary	Vegetable Extract	Modified extract	For retannage of leathers that require good fullness and excellent burnish effect
Sodatan TVT Liquid	Tanning Auxiliary	Vegetable Extract	Tara extract	For the retannage of all types of leathers where a light colour and light fastness are required. Especially suitable for upholstery leathers
Sodatan TVT Powder	Tanning Auxiliary	Vegetable Extract	Impalpable Tara ground pods	For the retannage of all kinds of leather with a light colour when excellent light fastness is required. Especially suitable for the production of upholstery
Gambier	Tanning Auxiliary	Vegetable Extract	Gambier extract	For the retannage of chrome leathers for upholstery and shoe uppers (together with others retanning agent). For the tannage of chrome free leathers such as upholstery and shoe uppers, for clear vacchetta or pastel shades
Sodatan A Powder	Tanning Auxiliary	Powder Replacement Syntans	4,4 dihydroxi-diphenyl-sulphone condensation product	For the retannage of chrome leathers giving a flat and fine grain. For the tannage of white chrome leather
Sodatan TLX Powder	Tanning Auxiliary	Powder Replacement Syntans	4,4 dihydroxi-diphenyl-sulphone condensation product	For the tannage of chrome free snow white leather. For the tannage of reptile skin



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

To contact the sales team please email sales@selicchemical.com

If you are an agent or distributor then please email agent@selicchemical.com

Product Name	Category	Туре	Composition	Application / Comment
Sodatan TFL Powder	Tanning Auxiliary	Powder Replacement Syntans	Condensation product of phenol and urea	For white leathers with medium light fastness. It has good bleaching effect and excellent fullness. As the main component in retannage it improves colour evenness. Gives excellent buffing effect (for nubuck and suede)
Sodatan SB Powder	Tanning Auxiliary	Powder Replacement Syntans	Phenol-naphthalene-sulphonic condensation product	Universal retanning agent for chrome leathers. Gives excellent fullness and good buffing effect. It can be used together with vegetable extracts as a dispersing agent to improve penetration
Sodatan TLW Powder	Tanning Auxiliary	Powder Replacement Syntans	4,4 dihydroxi-diphenyl-sulphone condensation product	For chrome free white tannages and retannage of chrome leathers for white. In combination with vegetable extracts to improve colour and fullness. Low free phenol content of 40 ppm
Sodapelt CL Powder	Tanning Auxiliary	Resin / Auxiliary	Blend of bleaching and sequestering agents	For bleaching vegetable leathers. For the washing of wet blue. In high percentages has a detanning effect on chrome
Sodapelt PN LIQ	Tanning Auxiliary	Resin / Auxiliary	Ethoxilated fatty amines	To improve penetration of dyes
Sodatan F Powder	Tanning Auxiliary	Resin / Auxiliary	Blend of proteins and silicates	Selective retanning agent for any type of chrome leather. Improves fullness on empty areas. Does not alter shade of dye



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

To contact the sales team please email sales@selicchemical.com

If you are an agent or distributor then please email agent@selicchemical.com

Product Name	Category	Туре	Composition	Application / Comment
Sodatan SC Powder	Tanning Auxiliary	Resin / Auxiliary	Mixture of basic chrome sulphate and auxilliary products	It can be used in the retannage of any kind of leather where a fine, smooth grain and good fullness are required. It does not influence the affinity of the leather for anionic dyes and therefore has a good levelling effect in subsequent dyeing process
Sodatan ALC Powder	Tanning Auxiliary	Resin / Auxiliary	Product based on chrome, aluminium sulphate and auxilliary products	Chrome aluminium, complex tanning agent. Increases fullness of fibres and tear strength. Usage improves the buffing properties
Sodatan GX50 Liquid	Tanning Auxiliary	Resin / Auxiliary	Product based on modified aliphatic dialdehyde	For the tannage of wet white. Used in tannage and retannage it improves the softness and fullness of the leathers without increasing their weight
Sodatan RC LIQ	Tanning Auxiliary	Resin / Auxiliary	Polymers of metacrylic acid in combination with special syntans	For the retannage of chrome tanned leathers to improve tightness and to provide outstanding filling and plumping of the leather
Sodatan R3 LIQ	Tanning Auxiliary	Resin / Auxiliary	Salts of acrylic polymers	For the retannage of chrome leathers - when tight and soft leathers with a low specific weight are required
Sodatan RX LIQ	Tanning Auxiliary	Resin / Auxiliary	Salts of acrylic polymers	For the retannage of chrome leathers - when tight and soft leathers with a low specific weight are required
Sodatan RD Powder	Tanning Auxiliary	Resin / Auxiliary	Dyciandiamide modified resin	For the retannage of chrome leathers with strong filling effect, tight grain and good buffing properties. It does not alter the shade of dyes
Sodatan RM Powder	Tanning Auxiliary	Resin / Auxiliary	Modified melamine-formaldehyde resin	For the retannage of chrome leathers with strong filling effect, tight grain and good buffing properties. It does not alter the shade of dyes



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Sodatan TNB Powder	Tanning Auxiliary	Powder Auxiliary Syntan	Buffer salts of condensed naphthalene-suplhonic-acids	For neutralising chrome leathers. Neutralises and retans simultaneously
Sodatan TSN Powder	Tanning Auxiliary	Powder Auxiliary Syntan	Condensation product of naphthalene-suplhonic-acids	For the pretannage of vegetable leathers. Used as a dispersing agent of vegetable extracts and as a dispersing agent of dyes
Sodapelt EM/90	Tanning Auxiliary	Degreasing / Wetting Agent	Fatty alcohol condensated with ethylene oxide	Highly effective degreasing agent
Sodapelt EM Paste	Tanning Auxiliary	Degreasing / Wetting Agent	Product based on sulphonated fatty alcohols	Specific dispersing agent for fatty emulsion
Super P	Tanning Auxiliary	Degreasing / Wetting Agent	Fatty alcohol condensated with ethylene oxide	Highly effective degreasing agent
Biodermin GS	Tanning Auxiliary	Touch Modifier	Aliphatic ester-amide / polyglycol ether	Excellent stability to salts, acids, mineral tanning agents and non ionic products



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Biodermin SO	Tanning Auxiliary	Touch Modifier	Synthetic sperm oil cationic fatliquor	Excellent stability with cationic, nonionic and amphotheric products
Sodoil TTS	Tanning Auxiliary	Sulphited Fatliquor	Oxidised and sulphited fish oil	Specific fatliquor for soft leathers, upholstery and automotive leathers
Sodoil TMF	Tanning Auxiliary	Sulphited Fatliquor	Sulphited synthetic oil	Special fatliquor for automotive leathers
Sodoil EZR	Tanning Auxiliary	Sulphited Fatliquor	Sulphited sperm oil substitute	Fatliquor for soft chrome and vegetable leathers
Garboil M	Tanning Auxiliary	Sulphited Fatliquor	Oxidised and sulphited fish oil	Specific fatliquor for soft leathers, upholstery and garments
Garboil 22-26	Tanning Auxiliary	Sulphited Fatliquor	Sulphited and sulphated natural oils in combination with synthetic oils	Universal fatliquor for upholstery, garments and linings
Garboil PZ	Tanning Auxiliary	Sulphited Fatliquor	Oxidised and sulphited fish oil	Specific fatliquor for soft leathers, upholstery and garments
Garboil FC	Tanning Auxiliary	Sulphited Fatliquor	Blend of natural sulphite oil with synthetic esters	Universal fatliquor for upholstery, garments and linings



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Garboil BS	Tanning Auxiliary	Sulphited Fatliquor	Oxidised and sulphited vegetable oil - free from mineral oils	Suitable for any kind of soft leather. Very good stability both in the pickle and chrome baths
Garboil 122	Tanning Auxiliary	Sulphited Fatliquor	Based on sulphited deodorized fish oil	Provides good softness in shoe uppers, as well as a good fullness and a warm touch. It improves tear strength and helps to obtain uniform grain when leathers have to be dry-drummed (milled)
Sodoil 107/A	Tanning Auxiliary	Sulphated Fatliquor	Sulphated natural and synthetic fatliquors	This product is a universal fatliquor
Rivoil KC	Tanning Auxiliary	Sulphated Fatliquor	Sulphated neatsfoot oil	Fatliquor for chrome and semi-chrome leathers
Rivoil EC	Tanning Auxiliary	Sulphated Fatliquor	Sulphated vegetable oil	For any kind of soft and light leather. No fatty spue
Sodoil 604	Tanning Auxiliary	Sulphated Fatliquor	Sulpahted non oxidable synthetic oil	For shoe uppers - where the requirement is for good fullnes, roundness, excellent "springing" and no looseness of grain
Sodoil 605	Tanning Auxiliary	Sulphated Fatliquor	Sulphated natural and synthetic fatliquors	For leathers where softness, fullness and gentle touch are required. Dyeings have high yield and intense shades



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Sodoil MSK	Tanning Auxiliary	Synthetic Fatliquor		Fatliquor of special formulation for very soft leathers
Sodoil TZ	Tanning Auxiliary	Synthetic Fatliquor		Fatliquor of special formulation for white leathers
Sodoil A9	Tanning Auxiliary	Synthetic Fatliquor	Blend of phosphated oils with natural oils	Fatliquor stable against electrolytes - for soft leathers
Sodoil NE	Tanning Auxiliary	Synthetic Fatliquor	Sulphated synthetic fatliquor	Synthetic fatliquor free from chlorinated products and alkyl phenol ethoxilates
Sodoil KW	Tanning Auxiliary	Synthetic Fatliquor	Fatliquor based on phosphoric esters	Fatliquor with very low weight suitable for garments, soft leathers and light leathers
Sodoil ZN	Tanning Auxiliary	Synthetic Fatliquor	Fully synthetic fatliquor based on long-chained sulphonated and chlorinated hydrocarbons	Gives good fullness and a slighty dry touch, with a medium softness. Improves tear resistance
Lederin AU	Tanning Auxiliary	Raw Oil	Synthetic oils	Fatliquor for nubuck and suede
Lederin E	Tanning Auxiliary	Raw Oil	Fully synthetic oil	Serves the dual purpose of improving grain fineness whilst protecting the grain during vacuum drying



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Lederin OPB-10	Tanning Auxiliary	Raw Oil	Synthetic substitute of raw neatsfoot oil	For the fatliquoring of fine chrome and semi-chrome leathers
Sodoil 147	Tanning Auxiliary	Special Fatliquor	Combination of sulphited natural oils and lanolin	A base fatliquor for chrome and semi-chrome leathers
Sodoil 253	Tanning Auxiliary	Special Fatliquor	Based on natural and synthetic oils	This is a modern, multi-purpose fatliquor product
Sodoil 105	Tanning Auxiliary	Special Fatliquor	Lecithin and synthetic products	Special fatliquor for soft leathers with low specific weight
Sodoil P	Tanning Auxiliary	Special Fatliquor	Sperm oil substitute and amphotheric products	Special fatliquor for soft leathers
Sodoil WPS	Tanning Auxiliary	Special Fatliquor	Aliphatic hydrocarbons and synthetic fatliquors	Waterproofing agent for chrome leathers
Compact Super	Tanning Auxiliary	Special Fatliquor	Complex fatliquors, retanning and neutralising agents	Compact product for neutralising, retanning and fatliquoring of soft leathers
Compact Super X	Tanning Auxiliary	Special Fatliquor	Complex fatliquors, retanning and neutralising agents	Compact product for neutralising, retanning and fatliquoring of soft leathers



27/1-6 M. 11 Petkasem Road, Nongkhaem, Bangkok, Thailand 10160 Telephone

+66 (0) 2 444 3233 to 9

Fax

+66 (0) 2 444 3240

Product Name	Category	Туре	Composition	Application / Comment
Aponol PBI	Tanning Auxiliary	Special Fatliquor	Blend of sulphated and sulphited oils	Base fatliquor for chrome and semi-chrome leathers
Apoma APB	Tanning Auxiliary	Special Fatliquor	Blend of sulphated and sulphited oils	Universal fatliquor for chrome and semi chrome leathers
Rivoil BF	Tanning Auxiliary	Special Fatliquor	Mixture of raw oils, sulphated fatliquors and natural glicerides	Special fatliquor for vegetable and semi-chrome leathers
Rivoil STS	Tanning Auxiliary	Special Fatliquor	Mixture of sulphate natural and synthetic fatliquors with natural oils	Fatliquor for fine chrome, semi-chrome and sole leathers
Rivoil AS/80	Tanning Auxiliary	Special Fatliquors	Mixture of sperm oil subsitute with special dispersing and wetting agents	Fatliquor for sole, vacchetta and chrome tanned leathers